

# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product identifier** 

**Product Code** ZinClear® XP48 CCT+PMHS

**Product Description** Zinc Oxide dispersed in Caprylic Capric Triglyceride

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cosmetic raw material for sunscreen, skin protection, cosmetics

1.3 Details of the supplier of the safety data sheet

> Company Antaria Pty Ltd, Unit 2/81 Shettleston Street, Rocklea QLD 4106

> > Australia

Responsible Department Quality Assurance, and Sales: sales@antaria.com

1.4 **Emergency telephone number (24 hour)** 

+61 7 3726 2030

### **SECTION 2: Hazards Identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP/GHS)

Acute aquatic toxicity, Category 1, H400 Chronic aquatic toxicity, Category 1, H410

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP/GHS)

Hazard pictograms

GHS09: environment

Signal word

Warning

Hazard statements

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

#### 2.3 Other hazards

None known.

## **SECTION 3: Composition/information on ingredients**

Ingredient	Weight %	CAS	EINECS	Classification according to Regulation (EC) No. 1272/2008 (CLP)
Zinc Oxide	45-51	1314-13-2	215-222-5	H410

Revision 0

Caprylic/Capric Triglycerides	30-60	73398-61-5	277-452-2	-
Polyhydroxystearic Acid	2-6	27924-99-8	500-140-7	-
Methicone (Polymethylhydrosiloxane: PMHS)	1-5	9004-73-3	613-152-3	-

#### SECTION 4: First aid measures

#### 4.1 **Description of first aid measures**

Skin Wash affected areas with water and soap. Seek medical attention if irritation develops.

Eves Flush gently for 10 - 15 min with running water. Seek medical attention if irritation

develops.

Inhalation If over exposure occurs, remove to fresh air. If irritation or discomfort persists seek

medical attention.

Drink plenty of water to dilute. Do NOT induce vomiting without first seeking medical Ingestion

advice. Get medical attention if person feels unwell.

#### 4.2 Most important symptoms and effects, both acute and delayed

Prolonged and repeated use may result in slight irritation for people with sensitive skin.

Zinc compounds are only slightly absorbable via the gastrointestinal tract.

#### 4.3 Indication of immediate medical attention and special treatment needed

None known.

## **SECTION 5:** Fire fighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surroundings.

Unsuitable extinguishing media

None known.

#### 5.2 Special hazards arising from the substance or mixture

Combustible liquid.

Thermal decomposition will evolve irritant vapours.

#### 5.3 Advise for fire fighters

Special protective equipment for fire fighters

In the event of fire, wear self-contained breathing apparatus and protective clothing.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear protective clothing, gloves and safety glasses when cleaning in enclosed areas.

Clear area of personnel

For emergency responders

Protective equipment, see section 8.

#### **Environmental precautions** 6.2

Revision 0

Do not allow entering sewage and drainage systems.

Avoid soil contamination.

#### 6.3 Methods and materials for containment and cleaning up

Clean up all spills immediately.

Contain spill with sand or other non-combustible materials. Use bunding and cover drains.

Collect recoverable material into labelled containers for recycling.

#### 6.4 Reference to other sections

Indications on waste treatment see section 13.

## **SECTION 7: Handling and storage**

## Precautions for safe handling

Observe label precautions.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in a dry area, removed from foodstuff and incompatible materials such as acids and bases.

#### 7.3 Specific end uses

As identified in section 1.2.

# **SECTION 8:** Exposure controls/personal protection

#### 8.1 Control parameters

Exposure limits are not available for Zinc oxide dispersed in caprylic/capric triglyceride. Data is available on request on the individual components.

#### 8.2 **Exposure controls**

### Appropriate engineering control

Under normal conditions of use and handling of small quantities, no special ventilation precautions are required. When working with large amounts in poorly ventilated areas, mechanical extraction ventilation is recommended.

## Individual protection measures

Protective clothing is specially selected for the workplace and depends on the concentration and quantity of the substance handled.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

Eye/face protection

Safety glasses.

Hand protection

Rubber gloves.

Respiratory protection

Not required.

Environmental exposure control

Do not empty into drains.

## **SECTION 9: Physical and chemical properties**

### Information on basic physical and chemical properties

**Appearance** Off white to pale yellow/yellowish green

Form Liquid Odour Mild odour Odour threshold No information available pH No information available

Melting point /freezing point Not applicable

Initial boiling point and boiling range
Flash point
Evaporation rate
Flammability
Upper/lower flammability limits
Vapour pressure
No information available

Specific Gravity TBD

Solubility Insoluble in water

Partition coefficient

Auto ignition temperature

Decomposition temperature

Viscosity

No information available

Explosive properties

Not to be expected

Not to be expected

### 9.2 Other data

None

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Dangerous reactions are not expected when handling the product according to its intended use.

### 10.2 Chemical stability

Under storage at ambient conditions the product is stable.

## 10.3 Possibility of hazardous reactions

Violent reactions possibly with strong oxidising agents.

## 10.4 Conditions to avoid

No information available.

### 10.5 Incompatible materials

Incompatible with strong oxidising agents, strong acids and alkalis.

# 10.6 Hazardous decomposition products

Does not decompose when used for intended uses.

### **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

No data available on Zinc oxide dispersed in caprylic/capric triglyceride.

## Information on individual substances in the mixture

Zinc oxide

Acute toxicity, oral LD<sub>50</sub> (mouse) 15,000 mg/kg (Löser, 1972)

LD<sub>50</sub> (rat) >5,000 mg/kg (Löser, 1977)

Acute toxicity, inhalation LC<sub>50</sub> (mouse) >5.7 mg/L in 4 hr (Klimish & Freisberg)

Skin irritation Not irritant (Löser, 1977, Lansdown, 1991)

Eye irritation Not irritant (Van Huygevoort, 1999; Thijssen, 1978; Löser, 1977)

Sensitisation No sensitising effects known (Van Huygevoort, 1999) Germ cell mutagenicity No biologically relevant genotoxic activity (CSR ZnO, 2010) Carcinogenicity No evidence for carcinogenicity activity (CSR ZnO, 2010)

No evidence for reproductive or developmental toxicity (CSR ZnO, Reproductive toxicity

2010)

No evidence for specific target organ toxicity (single exposure), STOT – single exposure

(CSR ZnO, 2010)

No evidence for specific target organ toxicity (repeated exposure), STOT – repeated exposure

(CSR ZnO, 2010)

Aspiration hazard Not available

Caprylic/capric triglyceride

Acute toxicity - oral LD<sub>50</sub> (mouse) >23,750 mg/kg (IUCLID)

LD<sub>50</sub> (rat) >34,000 mg/kg (RTECS)

Eye irritant Mild irritant Skin irritation No irritation

# **SECTION 12: Ecological information**

### 12.1 Toxicity

No data available on Zinc oxide dispersed in caprylic/capric triglyceride.

#### Information on individual substances in the mixture

### Zinc oxide

Fish Oncorhynchus mukiss (rainbow trout): LC<sub>50</sub> 1.1 mg/l in 4 days (ECOTOX)

Daphnia Daphnia magna (water flea): EC<sub>50</sub> >2.0 mg/l in 2 days (ECOTOX)

Algae Pseudokirchneriella subcapitata (green algae): IC<sub>50</sub> 0.63 mg/l in 3 days (ECOTOX)

No data available on caprylic/capric triglyceride

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

No data available

### 12.6 Other adverse effects

Do not allow to enter waters, waste water or soil.

## **SECTION 13: Disposal consideration**

Dispose of contents/containers as hazardous waste in accordance to local regulations.

# **SECTION 14: Transport information**

ADR/RID IMDG IATA/ICAO
------------------------

14.1 UN Number	UN3082	UN3082	UN3082
14.2 UN proper shipping name	Environmentally Hazardous Substance, Liquid, NOS (Contains Zinc Oxide)	Environmentally Hazardous Substance, Liquid, NOS (Contains Zinc Oxide)	Environmentally Hazardous Substance, Liquid, NOS (Contains Zinc Oxide)
14.3 Transport hazard class(es)	MISCELLANEOUS DANGEROUS GOODS 9	MISCELLANEOUS DANGEROUS GOODS 9	MSCELLANEOUS DANGEROUS GOOS 9
14.4 Packing group	III	III	III
14.5 Environmental Hazards	Very toxic to aquatic organisms, may cause long term adverse effects in the aquatic environment	Very toxic to aquatic organisms, may cause long term adverse effects in the aquatic environment	Very toxic to aquatic organisms, may cause long term adverse effects in the aquatic environment
14.6 Special precautions for user	Avoid release to the environment	Avoid release to the environment	Avoid release to the environment
Collect spillage		Collect spillage	Collect spillage
	Dispose of contents / container as hazardous waste	Dispose of contents / container as hazardous waste	Dispose of contents / container as hazardous waste
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable	Not applicable	Not applicable

### 14.8 Road and Rail Exemptions

Not classified as dangerous goods when transported by road or rail in Australia or the United States pursuant to Australian Special Provision AU01 and the United States Code of Federal Regulations 49 CFR 171.4 paragraph (c).

# 14.9 Small Quantity Exemptions

Not classified as dangerous goods under IATA Special Provision A197 when transported in single or combination packaging's containing a net quantity per single or inner packaging of 5L or less for liquids, or having a net mass of 5kg or less for solids. Are not subject to any other provisions of these regulations provided the packaging's meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.

This information is not intended to convey all specific regulatory or operational requirements/ information relating to this product. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture German WGK-category Zinc oxide is classified as WGK 2 (hazard to waters)

## 15.2 Chemical safety assessment

No chemical safety assessment has been carried out for this mixture.

# **SECTION 16: Other information**

## **Full text of H-statements**

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Revision 0